

THE RIGHT SYSTEM  
FOR EVERY PROBLEM.

exhibition systems  
shopfitting systems  
presentation systems  
cleanroom systems  
software and service

## DON'T LEAVE YOUR EXHIBITION SUCCESS TO FATE, BUT TO THE SYSTEM WORLD OF OCTANORM.

OUR CLEAR INTENTION: WE WANT TO DO EXHIBITION STAND CONSTRUCTION BUSINESS WITH YOU. NO MATTER HOW, WHEN AND WHERE. You can be certain that you will profit from us. We are here if you have any questions. Would you like a quotation? More information? An appointment? We look forward to your call, your query and you! Welcome to OCTANORM.

101.65-02/2005

THE  
WORLD  
OF  
SYSTEMS

OCTANORM®-Vertriebs-GmbH für Bauelemente  
Raiffeisenstrasse 39 \*\*\* D-70794 Filderstadt  
Tel: +49(711)77003-0 \* Fax: +49(711)77003-53  
info@octanorm.de \*\*\* www.octanorm.com

**OCTANORM** 

HOW YOUR  
EXHIBITION  
WILL TURN  
INTO A TOTAL  
SUCCESS.

exhibition systems  
shopfitting systems  
presentation systems  
cleanroom systems  
software and service

THE  
WORLD  
OF  
SYSTEMS

**OCTANORM** 



**NO WONDER, MOST OF THEM  
USE THE INNOVATIVE EXHIBITION SYSTEMS  
FROM THE LEADING BRAND MANUFACTURER:  
OCTANORM.**

# OCTANORM









.INGENIOUS  
KNOW-HOW.

OCTANORM IS INVESTING INTO IDEAS.  
IN THE NEW DEVELOPMENT OF OUR SYSTEMS,  
WE CANNOT BE SLOWED DOWN  
WHEN IT COMES TO INNOVATION. THE BEST  
SOLUTION IS OUR GOAL.

OCTANORM IS FUNCTION AND FORM. THE INFINITE ADDED VALUE OF OUR WORLD OF SYSTEMS, WHICH IS CONTINUOUSLY AND INTELLIGENTLY EXPANDED WITH NEW DEVELOPMENTS, HAS MADE US THE LEADING MANUFACTURER OF EXHIBITION SYSTEMS IN THE WORLD.

	PANEL HOLDERS	ACCESSORIES	ELLIPTICAL EXTRUSIONS
	Information panels rapidly installed.	Suspended banner solutions for fascinating presentations.	OCTANORM's new quick-change artist.
	OCTAQUICK	VARIABLE ANGLE CONSTRUCTION SOLUTIONS	FOOT AND SHELF BRACKET SOLUTIONS
	The portable build-it-yourself exhibition stand.	Expands design freedom for new dimensions.	For stability in every position.
	S 800 EXTRUSION SERIES	HINGED CONNECTOR	BANNER SOLUTIONS
	The super solution for anyone needing a new profile.	Flexibility in all directions.	Ingenious: Span banners in seconds.
	PANEL CLAD WALL	SAFETY LOCK	LOUVER EXTRUSION
	The dream of a perfect, efficient wall solution.	The lock you can master with a turn of the hand.	Fascinating both horizontally and vertically.

THE  
WORLD  
OF  
SYSTEMS



OCTANORM 



.IDEAL SOLUTIONS  
IN DETAIL.



EXHIBITIONS ARE A MARKETPLACE.  
EXHIBITIONS ARE INFORMATION.  
EXHIBITIONS ARE BUSINESS.  
EXHIBITIONS ARE PRESENTATION.  
EXHIBITIONS ARE OCTANORM.

THE CORE COMPETENCE OF OCTANORM IS “EXHIBITION SYSTEMS”. WITH THAT, WE GUARANTEE: THERE IS NOTHING AT AN EXHIBITION THAT OUR INTELLIGENT SYSTEMS CANNOT SOLVE.



	BASIC PROFILES	DESIGN PROFILES	FLOOR SYSTEMS	BASIC PROFILES
<b>THE WORLD OF SYSTEMS</b>	<b>EXHIBITION SYSTEM</b> <ul style="list-style-type: none"><li>Aluminium extrusions available either anodized or powder-coated</li><li>Individual wall infill panels 4–16 mm thick</li><li>Comprehensive accessories range</li><li>45°, 60°, 90°, 120°, 135° and 180° angle variations</li><li>System dimensions/part numbers identical world-wide</li><li>Extremely fast setup and dismantling times with the aid of the world-wide patented OCTANORM eccentric tension lock</li><li>Compatible with all OCTANORM products</li></ul>	<b>MAXIMA LIGHT</b> <ul style="list-style-type: none"><li>In four different dimensions, available square or round</li><li>Extremely fast setup and dismantling with the OCTANORM eccentric tension lock or the OCTANORM safety tension lock</li><li>Wide spans possible</li><li>High static values</li><li>Up to maximum 7 m lengths available</li><li>Glass and wooden walls can be added without extrusion interruption</li><li>Extrusion connections at any required height possible</li><li>Invisible wiring</li><li>Upright extrusions can be used for effective illumination with fluorescent lighting and acrylic glass strips</li><li>Compatible with all OCTANORM systems</li></ul>	<b>DOUBLE FLOOR</b> <ul style="list-style-type: none"><li>Suitable flooring height due to adjustable feet</li><li>Levels uneven floors</li><li>Feet can be adjusted after installation</li><li>Extremely rapid installation</li><li>Up to 30 KN/m² load-bearing capacity</li><li>Floor panels can be removed individually</li><li>Illuminated skirting for visual completion</li><li>Choice of floor covering</li></ul>	<b>PANEL CLAD WALL SOLUTIONS</b> <ul style="list-style-type: none"><li>Special wall beams or swivel-in extrusions for fast installation of wall panels</li><li>Panel width independent of modular dimensions of substructure</li><li>Single or double-sided application</li><li>Large format wall panels can be used</li><li>Panels with or without dividing grooves, vertical or horizontal application</li><li>Panels can be used from both sides</li><li>System construction advantages remain</li><li>Fixing components do not leave usage marks on the extrusions</li><li>Guaranteed flush surface structure</li></ul>



**OCTANORM**



•SMALL, BUT  
OCTANORM.



SEE AND BE SEEN!  
EVEN SMALL EXHIBITION STANDS  
LOOK BIG WITH THE OCTANORM  
EXHIBITION SYSTEM.

IN THE DIRECT COMPETITION AT THE EXHIBITION, THE ART IS TO FOCUS ATTENTION ON ONESELF.







	DESIGN PROFILES	BASIC PROFILES	DESIGN PROFILES	ACCESSORIES
THE WORLD OF SYSTEMS	<b>STRUKTUR</b> Aluminium tube construction for width spans of up to 10 x 10 m Individual design with graded heights Low intrinsic weight with 3.2 kg/m <sup>2</sup> Extremely fast, tool-free setup with ingeniously simple connectors Various infills available in the shape of perforated panels and clip-in translucent screen elements Reduced transport and storage space Compatible with all OCTANORM systems	<b>S 250</b> Wall elements can be installed at any angle Compatible with OCTANORM beams 4 and 16 mm panel thicknesses available Grooved 16 mm panels can be glued to S 252 extrusions Additional side groove enables fast and simple installation of shelves and literature racks Additional wall elements can be added Fully compatible with OCTANORM systems	<b>MAXIMA</b> Truss connector head can be mounted on round or square extrusions Trusses can be installed at 45° angles Fast, tool-free setup and dismantling Trusses usable in V or A configurations Trusses also available in a flat version Truss length up to 7 m; up to 12 m max. span widths by joining trusses Simple panel installation and replacement of screen elements High load-bearing capacity of truss elements Downlights can be added with the A configuration Fully compatible with OCTANORM systems	<b>GLASS RETAINER</b> Attractive, large surface façade cladding For vertical and horizontal applications High load-bearing capacity Fast, subsequent installation on OCTANORM system grooves Available for glass 6-8 mm thick and all panel materials from 6 to 16 mm





LARGE-SCALE EXHIBITION DIMENSIONS  
REQUIRE SYSTEM KNOW-HOW  
OF THE MOST PROFESSIONAL KIND.  
HOW FANTASTIC THAT OCTANORM EXISTS.

THE OCTANORM WORLD OF SYSTEMS COVERS A HUGE RANGE OF SOLUTIONS THAT LEAVES PRACTICALLY NO QUESTIONS UNANSWERED.

	FLOOR SYSTEMS	BASIC PROFILES	DESIGN PROFILES	BASIC PROFILES
				
THE WORLD OF SYSTEMS	<b>RAISED FLOOR</b> Height adjustable Non-slip surface of substructure frame secures the covering Various floor panels possible (wood, stone, glass, metal, etc.) High load-bearing capacity: point loads up to 10 KN/m², surface loads up to 30 KN/m² (dependent on covering) Height adjustable ramp for load transport and wheelchairs Integrated impact sound insulation Reduced space requirements for transport and storage	<b>OCTANORM TENSION LOCK</b> Globally patented Guarantees extremely fast setup and dismantling Limited rotation Extremely high slip values High direction stability Can be used with all 4.3 mm OCTANORM system grooves	<b>S 2300 UNIVERSAL EXTRUSION</b> Aluminium extrusion fascia for high aesthetic demands Horizontal, diagonal or vertical installation Decorative screening of necessary OCTANORM upright extrusions Four system grooves enable full compatibility with all OCTANORM system components Ideal for breaking up large wall sections Suitable as screens for indirect lighting	<b>EXHIBITION SYSTEM</b> Individual wall infill panels 4–16 mm thick Round beams in standard or special radii for the best possible freedom of design Spans of up to 3 x 3 m are possible when using the 70 mm beams (with 0.20 KN/m² load-bearing capacity) Spans of up to 5 x 5 m are possible when using the 175 mm beams (with 0.20 KN/m² load-bearing capacity) Projections without spans up to 2 m Globally patented OCTANORM eccentric tension lock for extremely fast setup and dismantling times Clamp-on spotlights can be inserted into the system grooves of the beam profiles Compatible with all OCTANORM products









.EXHIBITION STAND  
IN HIGH FORM.

WHEN YOU EXPECT  
TO GET DOUBLE THE USE  
FROM YOUR EXHIBITION STAND,  
YOU NEED TO GO FOR THE TWO  
STOREY SYSTEM FROM  
OCTANORM.

BOOMING BUSINESS NOT JUST ON THE GROUND FLOOR BUT ALSO ON THE UPPER FLOOR – THE TWO STOREY SYSTEM  
FROM OCTANORM DOUBLES YOUR USEFUL AREA.

	TWO STOREY	FLOOR SYSTEMS	TWO STOREY	TWO STOREY
				
	<div><b>DOUBLE FORM</b><ul style="list-style-type: none"><li>Ready to use delivery of system components</li><li>Simple setup and dismantling without lifting gear</li><li>Spans of up to 5 x 5 m possible (load-bearing capacity up to 5.0 KN/m²)</li><li>Cantilever without support possible up to maximum 2 m</li><li>Fully compatible with all OCTANORM systems</li></ul></div>	<div><b>STRUKTUR</b><ul style="list-style-type: none"><li>Floor heights available in 280, 553 and 1097 mm</li><li>Ingeniously simple connectors enable extremely fast, tool-free setup and dismantling</li><li>Reduced storage and transport requirements</li><li>Clip-in screens available</li><li>Load-bearing capacity up to 20 KN/m² with a stand height of 280 mm, load-bearing capacity up to 0.7 KN/m² for the other two floor heights of 553 and 1097 mm</li></ul></div>	<div><b>DOUBLE FORM</b><ul style="list-style-type: none"><li>Installation of grids, perforated panels or individual ceiling materials</li><li>Any wall panel thickness</li><li>Clear height of 2.51 m on ground floor</li><li>Sprinkler installation problem-free</li><li>Fully compatible with all OCTANORM systems</li></ul></div>	<div><b>DOUBLE FORM</b><ul style="list-style-type: none"><li>System flooring to suit axis dimensions</li><li>Elegant handrail system allowing a selection of infills such as wood, glass, perforated panels, etc.)</li><li>Various stair solutions available</li><li>Up to 12 m spans possible if used for one storey constructions only</li><li>Fully compatible with all OCTANORM systems</li></ul></div>

THE  
WORLD  
OF  
SYSTEMS



OCTANORM 





THESE SOFTWARE TOOLS FOR DESIGN, PLANNING AND IMPLEMENTATION ARE THE BEST ON THE MARKET TODAY.

**OCTaplano**  
The assembly planning tool for your projects.


# OCTANORM





„DESIGNED HERE – BUILT THERE“, IN WHATEVER PART OF THE WORLD YOU ARE PLANNING THE NEXT EXHIBITION, OCTANORM SERVICE PARTNERS INTERNATIONAL ARE THERE FOR YOU AROUND THE GLOBE.



 **OSPI** are partners who keep their customers requirements in mind.

**"DESIGNED  
HERE"**



**"BUILT  
THERE"**

# OCTANORM



.SYSTEM INNOVATIONS  
FRESHLY DELIVERED.

IF YOU'VE DEVELOPED  
AN APPETITE FOR THE SYSTEM  
WORLD OF OCTANORM, WE'VE GOT  
GOOD NEWS FOR YOU:  
WE CAN SATISFY YOUR HUNGER.

ANOTHER SERVICE TRUMP THAT WE DON'T WANT TO DENY YOU: OCTANORM STANDS FOR FAST, PRECISE AND PUNCTUAL DELIVERIES.



**OCTANORM** 