Das OCTANORM®-Programm.
OCTANORM® Product Line.

Wandsysteme
Wall Systems

Deckensysteme
Ceiling Systems

Bodensysteme
Floor Systems

Doppelstocksysteme
Two Storey Systems

Lichtsysteme
Lighting Systems

Möbel & Einrichtungssysteme
Furniture and Interior Design Systems

Regalsysteme
Shelving Systems

Displaysysteme
Display Systems

Software & Service
Software & Service

OCTANORM®-Vertriebs-GmbH
Raiffeisenstrasse 39
D-70794 Filderstadt
Tel. (+49) 711/77 00 3-0
Fax (+49) 711/77 00 3-53
e-mail: info@octanorm.de
http://www.octanorm.de

Expertise with Creative Systems

OCTANORM®

Display and Presentation Systems
Product Line

Expertise with Creative Systems

OCTANORM®

Display and Presentation Systems

A striking message! Displays are supposed to emphasize and to attract attention – in exhibitions, at events, inside and outside shops, or directly at the point of sale. OCTANORM® meets all these requirements with diverse display and presentation systems, optionally with illumination, in a filigree lightweight construction or with stable frame elements. Additionally, you can choose between individual or modular designs for small and large-scale advertising. The display and presentation systems come up to all demands and are made according to OCTANORM®'s well-known philosophy: "best quality of materials, quick handling, easy constructional conceptions and creative designs".

Änderungen in Material und Abmessungen bleiben vorbehalten.

vario d1
Folding Display

The easy and quick assembly, the vari-able designing possibilities and the option to create an effective large-scale advertising board are the main charac-teristics of the folding display vario d1. Four basic modules (from 700 x 1.000 mm up to 2.800 x 2.000 mm) enable the creation of different presentation types – from an individual frame up to an 8-module display. Due to the lateral OCTANORM® system groove, additional connections are possible. The fixing of the panels with the help of magnetic strips can be carried out quickly, neatly and problem-free. With extras such as spots, bags and brochure pockets, vario d1 is a presentation system which can be used in many different ways.

Example type: VA 1680, VA 5036, VA 5032, 3 pcs. VA 5020
Panel recommendation: PVC, 1 mm

VA 6001

Magnetic attachment

Folding mechanism

Basic modules:

700
1000

700
1000

700
1000

700
1000

VA 1180
Individual frame

VA 1480
4-module

VA 1680
6-module

VA 1880
8-module

Dimensions correspond to panel size

Accessories:

300
700

900
600

220

220

VA 5020
Spotlight
150 W

VA 2180
Header

VA 6001
Pair of T-legs

VA 5036
Brochure
shelf left

VA 5032
Brochure
shelf right

(wlo illustration)
VA 91080
Extra bulb
for VA 5020

100

720
1030   260

400
740   400

VA 5000
Connector
straight
(pack. unit 2 pcs)

VA 5035
Magnetic strip 30 m
self-adhesive

VA 5045
Steel strip, 30 m
self-adhesive

VA 1011
Transport bag
max. 10 frames

VA 1013
Accessories bag

Technical information:

300
700
1000
705
4

305
1005
1005

21–36mm

The connector
VA 5000 secures
the upper and lower
part when placed
one on top of the
other

vario d2-Original
Framing Display

Visually distinctive display with straight or curved frames on which advertising messages can be presented effectively with the help of magnetic strips. Due to the seamless connections, you can fit together as many frames as you like. The lateral OCTANORM® system groove enables connections of many different types. Without any extras, vario d2 looks especially attractive. However, it may also be completed with spots, bags and brochure holders. The technical character of the display system consists of anodized high-quality aluminium profiles. Its low weight and easy assembly make vario d2 an important standard display.

Example type: 3 pcs VA 1275, 2 pcs M 249, 2 pcs M 825, 2 pcs M 1440
4 pcs Z 361, VA 5036, VA 5032, 3 pcs VA 5020
Panel recommendation: from 0.7 mm to 1.0 mm PVC

VA 5020

VA 5036

M 1440

M 1444

Basic modules:

| 120 | 80 | 80 |

2010 | 2010 | 2010

M 249
Round upright
8 grooves

M 1249
Round upright
8 grooves

M 1049
Rectangular upright
4 grooves

700 | 1000 | 700 | 350

2010 | 2010 | 2010 | 2010

VA 1272
Straight
frame

VA 1273
Straight
frame

VA 1275
Curved
frame

VA 1282
Curved
frame 90°

455 | 400 | 300

M 825
Base plate
silver-grey

M 1239
Base plate
silver-grey

M 1406
Base plate
silver-grey

Connecting elements are included, dimensions correspond to panel size

Accessories:

100 | 125 | 320 | 250

E 14
Torx

VA 5000
Straight connector
(pack. unit 2 pcs)

Z 361
Distance beam

VA 5076
Display shelf
wood, silver

900 | 130 | 720

600 | 220 | 220 | 2100

VA 6001
Pair of T-legs

VA 5036
Brochure
shelf left

VA 5032
Brochure
shelf right

VA 5058
Conical
foot

VA 5020
Spotlight
150 W

VA 1019
Transport bag
max. 10 frames

120 | 80 | 120 | 80 | 120

End plates
M 270 for M 249
M 1235 for M 1249
M 1035 for M 1049

M 1440
Cone
wood,
silver

M 1438
Cone
wood,
silver

M 1443
End cap
wood,
silver

M 1442
End cap
wood,
silver

M 1444
Cover lighting
wood, silver
40 W/230 V

VA 5035
Magnetic strip
30 m
self-adhesive

VA 5045
Steel strip
30 m
self-adhesive

Technical information:

vario d2
Portable Version

The display for trouble-free, professional staging. Visually, technically and with regard to its flexibility it is equivalent to the original vario d2. However, it is quite different in a very essential point: the system supports and grooves are divided. Therefore, it is demountable in very small pieces which even fit into a car. Another advantage: all accessories and supplementary elements contained in the original vario d2 product line may also be used for this portable version. Due to this, it is an ideal complement for large representations which have to be staged with little effort.

Example type: M 825, 2 pcs M247, M 1440, 2 pcs Z 361, 5 pcs VA 1263
Panel recommendation: from 0.7 mm to 1.0 mm PVC

Frames, on top and side by side

Upright connection
2x VA 5000 (= 4 pieces)

Clips connector

„H" connector

Basic modules:

700	1000	700	1000
1005	1005	1240	1240
VA 1253 Straight frame	**VA 1255** Straight frame	**VA 1254** Straight frame	**VA 1256** Straight frame

|			
700	700	350	350
1005	1240	1005	1240
VA 1263 Curved frame	**VA 1264** Curved frame	**VA 1280** Curved frame 90°	**VA 1281** Curved frame 90°

Connecting elements are included, dimensions correspond to panel size

Accessories:

120 | 120 | 720 | 720

1005 | 1240 | 1030 | 260 | 1265 | 260

VA 1011 Transport bag

VA 1016 Transport bag

1000

455 | 100 | 125 | 230 | 700

**M 247** Round upright 120 mm, 8 grooves

**M 248** Round upright 120 mm, 8 grooves

M 825 Base plate silver-grey

VA 5000 Straight connector (pack. unit 2 pieces)

Z 361 Distance beam

VA 1100 d2-Counter, incl. transport bag

Further uprights on request

For further accessories out of the vario d2-programme please see pages 7 and 11

Technical information:

Upright connection:
2 x VA5000
(=4 pieces)

Portable frames on top and side by side

vario d2
Window Display

An amazing assistant for an eye-catching presentation of advertising messages in shop windows or in the salesroom since this display is extremely versatile. With a foot element it may be extended just as you like and with its loops, it can easily be hung from the ceiling. On request, it will be supplied with steel strips on both sides in order to use it as a billboard in salesrooms. And the attachable spot shows important content in a favorable light. Its standard format is A1. Further formats are available on request. The vario d2 shop window display is suitable both for targeted individual actions and for large, striking shop window spaces.

Example type standing: VA 1249, VA 8702, 2 pcs VA 6003
Example type suspended: VA 1249, 2 pcs E 218

Example type: 2 pcs VA 1249
3 pcs VA 6003

Spotlight VA 8702

Ring screw E 218

Basic modules:

594

841

Placard size:
A1

VA 1249
Straight
frame

700

1005

VA 1253
Straight
frame

1000

1005

VA 1255
Straight
frame

Connecting elements are included, dimensions correspond to panel size

Accessories:

VA 6003
Foot connector

E 218
Ring screw

(without illustration)

VA 8702
Spotlight, 230V/75W

VA 8710
Extra bulb
for VA 8702

VA 5035
Magnetic strip, 30 m
self-adhesive

VA 5045
Steel strip, 30 m
self-adhesive

For further accessories out of the vario d2-programme please see pages 7, 9 and 13

Technical information:

Further sets can be added

E 218
Ring screw
for suspension

VA 6003
Foot and connector
in one single unit

vario d2
Banner Display

The successful trio which converts textile digital printings into an advertising highlight. Base plate, support and grooves are the three system components this attractive display is made of. The principle is quite simple: the grooves are inserted into the hemstitches of the printed fabrics. With the help of the tension jack at the bottom groove, the textile banner is smoothed out. Three versions are available: with a support and a one or two-sided banner or with two supports and a centered banner.

Das OCTANORM®-Programm.
OCTANORM® Product Line.

Example type: set M 1350, VA 5032, VA 5036
Panel recommendation: textile banner with hemstitch

Banner set, two-sided M 1352

Tension lock and torx E 14

Connection of upright and beam

Base plate M 1239 and upright M 1249

Basic modules:

850
800
1650
2010

M 1351
Banner set, one-sided
1 upright, 80 mm ø,
2 beams 850 mm long
incl. base plate and cone

850
800
1650
2010

M 1352
Banner set, two-sided
1 upright, 80 mm ø,
4 beams 850 mm long
incl. base plate and cone

1600
1500
1650
2010

M 1350
Banner set, center position
2 uprights, 80 mm ø,
2 beams 1600 mm long
incl. base plate and cone

Inside dimensions correspond to banner size

Accessories:

80

2010

M 1249
Round upright
80 mm
8 grooves

25
850

Z 363
Beam with tension lock on one side
and end cap on the other side

25
1600

Z 365
Beam with tension locks on both sides

400

M 1239
Base plate
silver-grey

80

M 1438
Cone, wood, silver

E 14
Torx

For further accessories out of the vario d2-programme please see pages 7, 9 and 11

Technical information:

Beam

Seam

Digital print

50 mm

Hemstitch
(stretched)

Insert the beam in
the system groove and
fix it with the torx

vario d4
Pop Up

When you want to create a fast, persuasive impression in a place where crowds of people meet or pass by, vario d4 is the ultimate solution. Large format text and pictures are displayed simply and ingeniously. Panel sections can be mounted rapidly without unsightly seams. The simple, lightweight construction makes vario d4 perhaps the most powerful support for your messages available anywhere.

The display, lighting and pictures are stored separately in the practical transport case, which is easily converted into a counter. The vario d4 is extremely compact when dismantled and requires little storage space.

Example type: VA 4833 P1, 2 pcs VA 5021, VA 8056
Panel recommendation: PVC, 1 mm

VA 8056 Transport case (2 pcs)

VA 8058 Panel wrap for graphic panel

VA 8065 Transport case

Basic modules:

VA 4713 P1
1 panel with end caps

VA 4723 P1
2 panels with end caps

VA 4733 P1
3 panels with end caps

VA 4743 P1
4 panels with end caps

VA 4813 P1
1 panel with end caps

VA 4823 P1
2 panels with end caps

VA 4833 P1
3 panels with end caps

VA 4843 P1
4 panels with end caps

All systems illustrated are supplied excluding graphic panels

Accessories:

VA 4615
Stabilizing foot

VA 5021
Spotlight
230 V / 200 W

VA 8058
Panel wrap

VA 8059
Panel bar
bag

VA 8055
Transport
bag

VA 8059
Transport
case

VA 8066
Top panel for VA 8059
cherry

VA 8067
Top panel for VA 8059
beech

VA 8068
Top panel for VA 8059
maple

Technical information:

3 panels, curved, with end caps

3 panels, straight, with end caps

805 · 40 · 733 · 2239 · 673 · 673 · 22,5°

733 · 40 · 733 · 2239 · 733 · 733

vario d4
Pop Up Fabric

vario d4 creates a solid impression by displaying large-format pictures. The fabric display is a further enhancement of the Pop Up version. The unique advantage of the vario d4 fabric display is that it can be assembled in no time – an indispensable feature when the same message has to be presented at different meeting venues on a tight schedule. The graphics are printed on fabric that stays on the unit even when dismantled. The specially designed fabric allows the large-format graphics to be displayed over and over with no loss of sharpness and a completely smooth surface.

Example type: VA 4933, 2 pcs VA 5021
Panel recommendation: PVC, 1 mm

VA 6001 Transport bag

VA 4615 Stabilizing foot

Spotlight hooks into groove

Basic modules:

VA 4913
1 x 3 system

VA 4923
2 x 3 system

VA 4933
3 x 3 system

VA 4943
4 x 3 system

All systems illustrated are supplied excluding fabric panels

Accessories:

VA 4615
Stabilizing foot

VA 5021
Spotlight
230 V / 200 W

VA 4904
Velcro for side cover,
set of 4 pieces

VA 8055
Transport
bag

VA 8065
Transport
case

Technical information:

Velcro strip 40 mm
mounted on fabric
panel

2239

(773)

773 / 1586 / 2239 / 2972

Correct panel size
depends on stretchiness of fabric

vario d5
Promotion Display

A real display innovation: vario d5 is simply rolled up in its transport bag which at the same time is the base of the display. The assembly and dismantling are easy tasks and require only a few seconds of time. The stability of the display is achieved by means of a tension rod. The panels of a width of 60 or 80 cm and a thickness from 0.1 up to 0.25 mm can also be placed side by side for large-scale advertising. For attracting specific attention with light, a spot can be fixed at the tension rod.

Example type: VA 8500, VA 8700
Panel recommendation: drop paper, max. thickness: 0.25 mm

Base and panel

VA 8700 Spot

Clamping profile at the top

Basic modules:

1750

2100

2100

700 600

700 600

880 800

**VA 8502
d5**
600 mm

**VA 8501
d5**
600 mm

**VA 8500
d5**
800 mm

Dimensions according to the panel size

Accessories:

630 110

830 110

120 110

VA 8601
Transport bag
for d5-60 cm

VA 8600
Transport bag
for d5-80 cm

VA 8602
Spot bag
for VA 8700

(without illustration)

VA 8700
Spotlight
220 V/75 W

VA 8710
Extra bulb
for VA 8700

VA 8005 SW
Clamping profile 5 m, black
profile cuts on request

VA 5019
d5 connector

Technical information:

15 mm

Panel max. 0.25 mm

VA 5019

20

Connection
at the top
when placed
side by side

vario d5-String
Promotion Display

The flexible suspension unit offers almost all the advantages of the original vario d5 with one decisive difference: with just 400 mm depth it is extremely economical on space. The d5-String display is quickly assembled and requires no tools. Banners, boards or posters are fixed with the practical clip profile. d5-String is available in 600, 800 and 1000 mm width. Special widths available on request. Its lightweight and handy dimensions make this display the optimum accessory for "quick-fix" promotions. Attractive professional impact even for small budgets.

Example type: VA 8300, VA 9700
Panel recommendation: Banner, max. thickness 0,25mm

Spotlight VA 9700

Beam with screw
Assembly without tools

Rears, narrow footprint

Basic modules:

VA 8301
d5-String
600 mm

VA 8300
d5-String
800 mm

VA 8302
d5-String
1000 mm

Dimensions correspond to panel size

Accessories:

VA 8604
Transport bag
for d5-String, 600 and 800 mm

VA 8603
Transport bag
for d5-String, 1000 mm

VA 5067
Magnetic strip Set, each 10 m
both sided polarised

VA 9700
Spotlight, 230V/75W

VA 8710
Extra bulb
for VA 9700
(without illustration)

VA 8005
Clamping profile 5 m,
silver
profile cuts on request

VA 5019
d5 connector

Technical information:

15 mm

Panel max. 0.25 mm

VA 5019

Connection
at the top
when placed
side by side

vario d7
Column Display

Impressive presentation with diverse visual effects. The column display vario d7 is available with or without an illumination system operated via a foot switch. The panels made of hard-foam or acrylic glass can be replaced quickly and problem-free with the clip profiles. The upper and lower cover plates fit both sides together to an oval unit. Whatever will be presented in these column displays, it will attract attention – the best pre-condition for success!

The matching counter completes d7 to a promotion set with lighting.

Example type: VA 7500, VA 7700
Panel recommendation: without illumination: Hardfoam panel of max. 2 mm
with illumination: acrylic glass of max. 1.5 mm

VA 7300

VA 7700

VA 7500, VA 7700

Basic modules column display:

Basic module counter:

**VA 7500**
Basic set vario d7
(without panel)

VA 7700
Illumination set
vario d7

VA 7300
Basic set counter
incl. illumination, 230V/18W,
and 4 panels A1

Accessories:

**VA 7501**
Top cover plate for VA 7500, wood black

Technical information:

Panels are clipped on both sides into the aluminium supports.

The printed paper A1 is mounted between support panels on both sides

Translucent panel with digital print

Transparent panel
Printed paper A1
Translucent panel

Placard size:
A1
B 594 x L 841

Panel size: B 800 x L 1850

Dimensions according to the overall size

vario d10
Rollup Display

Quick, effective, compact: these are the features a display not afraid of being used in different ways should offer. On the contrary: this display is made for being rolled out of its casing within a few seconds one day here and the next day there. Even the lighting is included in the system and the base provides sufficient space for the spotlight. All this fits into the practical transport bag. By means of connectors, the standard widths 840 and 940 mm can be combined and extended just as you like. A quick medium always ready for use that enables flexible solutions.

Example type: VA 9522, one-sided

Spotlight VA 9701

Assembly within seconds

Fixation and cable guide

## Basic modules:

2150

VA 9522
d10, one-sided (front)
840 mm wide

VA 9521
d10, one-sided (front)
940 mm wide

VA 9524
d10, double-sided
840 mm wide

VA 9523
d10, double-sided
940 mm wide

Stretched panel size 2300 mm

Accessories:

**VA 9603**
Transport bag
for VA 9522

VA 9602
Transport bag
for VA 9521

VA 9605
Transport bag
for VA 9524

VA 9604
Transport bag
for VA 9523

VA 9701
Spotlight, 12V/50W

(without illustration)

VA 8709
Extra bulb
for VA 9701

VA 9009
Extra strip, 30 m
self-adhesive

VA 5019
Connector

Technical information:

VA 5019

Connection
at the top
when placed
side by side

Promotion Stand
Mobile

The multi-purpose talent. Vertically, horizontally, diagonally – arranged like this, not only diverse information material, but also products, decoration and advertising media can be exposed attractively. The presentation rack is available in two widths, both equipped with lateral elements and horizontal beams, aluminium anodized and wheels (two of the four castors can be locked). With this rack, especially banks and insurance companies have a system at hand that meets their requirements with regard to a clear arrangement of their many products and information material.

vertically:
for placards and posters
(magnetic adhesion)

horizontally:
place to put some
decoration

diagonally:
room for several
brochures

mobile:
4 castors,
2 of them lockable

Example type: PS-SET 80

Easy assembly and modification

Mobile base with lockable castors

Shelf

Basic modules:

2000

850

500

PS-SET 80

2000

1050

500

PS-SET 100

Accessories:

1910

500

PS 80/1
Upright

PS 80/3
Floor beam
with castors

800

PS 80/2
Beam

855

635

PS 80/4
Metalsheet
panel DIN A1

855

250

PS 100/5
Metalsheet
panel DIN A4

1000

PS 100/2
Beam

20

799

PS 80/6
Shelf

20

999

PS 100/6
Shelf

350

799

PS 80/7
Diagonal shelf

350

999

PS 100/7
Diagonal shelf

Technical information:

PS-SET 80

h 2000 x w 850 x d 500 mm (exterior dimensions)
Lateral elements and horizontal beams,
aluminium anodized
1 metalsheet panel RAL 9006, size DIN A1
1 shelf of aluminium, w 799 x d 200 mm
1 diagonal shelf RAL 9006, w 799 mm
10 magnetics, white

PS-SET 100

h 2000 x w 1050 x d 500 mm (exterior dimensions)
Lateral elements and horizontal beams,
aluminium anodized
1 metalsheet panel RAL 9006, size DIN A1
1 metalsheet panel RAL 9006 for 2 placards DIN A4
1 shelf of aluminium, w 999 x d 200 mm
1 diagonal shelf RAL 9006, w 999 mm
10 magnetics, white

OCTAcounter

Display Counter for Exhibitions and Promotions

The fastest way to assemble a display counter! With its newly-developed construction system, the new OCTAcounter is impressively simple to erect. The side panels just swivel into position on the front panel - without the need for tools. Its modern design and robust construction allows this counter to be used in a wide variety of ways at exhibitions, marketing events and promotions as well as in offices and shops. Where larger reception counters are needed, OCTAcounter modules can simply be linked together. With worldwide distribution, OCTAcounters can be constructed almost instantly wherever they are wanted.

Model design: Q 400 si

Model design:
2 pieces Q 400 st, Q 412 st

Swivel technique

Door-Set Q 411 si

Adjustable feet

Basic modules:

902 | 22,5° | 902 | 965 | 379 | 754

Visual dimension: 786 x 861 mm
Laminate dimension: 800 x 875 mm

Q 400 st
Basic set, beech finish

902 | 22,5° | 902 | 965 | 379 | 754

Visual dimension: 786 x 861 mm
Laminate dimension: 800 x 875 mm

Q 400 si
Basic set, silver-grey RAL 9006

Accessories:

340 | 340 | 835 | 680

Q 411 st
Door set, beech finish

40 | 835

Q 412 st
Connection set, beech finish

340 | 340 | 835 | 680

Q 411 si
Door set, silver-grey RAL 9006

40 | 835

Q 412 si
Connection set, silver-grey RAL 9006

VA 1011
Transport bag for 1 basic module including accessories

Technical information:

Additional information:

Extrusions:	Aluminum matt, clear, anodized (silver)
Counter top:	Timber, 16 mm
Side panels:	Timber, 16 mm
Drawer base:	Timber, 16 mm (below and centre)
Front panel:	Timber, 3.2 mm
Feet:	Height adjustable (approx. 10 mm)
Set of doors:	2 wooden double doors, tool-free assembly lockable, 2 keys

Special designs (like shapes, sizes and surfaces) on request

Mounting variants:

1735 | 710 | 45°

2 Basic sets
1 Connection set

2373 | 1243 | 67,5°

3 Basic sets
2 Connection set

Transparenta
Showcases

The master of display. In its function as a showcase, TRANSPARENTA's five basic shapes facilitate countless variations, since the basic modules are designed to be combined in any way required. This offers the challenge to design extraordinary display furniture, for safe storage and clear presentation of valuable exhibits. But TRANSPARENTA has even more to offer: glass panels and transparent partitions can be constructed and offer a wide variety of design options, predominantly for trade fair and shop installations. TRANSPARENTA is made from ESG security glass and - thanks to its unique linking design - can be assembled quickly, without needing special tools.

Example types: ❶ T-5-1930
❷ T-1-1500
❸ T-1-800

Clear lines

DESIGN AWARD WINNER

INDUSTRIE FORUM DESIGN HANNOVER

The awarded system

Illumination 3x12V/20W

Basic modules:

rectangular 720 × 360

T-1-1930	T-1-1850	T-1-1500	T-1-800
1930	1850	1500	800
5 shelves, with lighting	5 shelves, w/o* lighting	4 shelves, w/o* lighting	2 shelves, w/o* lighting

trapezoidal 720 / 360 / 312 / 360

T-2-1930	T-2-1850	T-2-1500	T-2-800
1930	1850	1500	800
5 shelves, with lighting	5 shelves, w/o* lighting	4 shelves, w/o* lighting	2 shelves, w/o* lighting

rectangular 720 × 509

T-3-1930	T-3-1850	T-3-1500	T-3-800
1930	1850	1500	800
5 shelves, with lighting	5 shelves, w/o* lighting	4 shelves, w/o* lighting	2 shelves, w/o* lighting

pentagonal 763 / 509 / 509 / 360

T-4-1930	T-4-1850	T-4-1500	T-4-800
1930	1850	1500	800
5 shelves, with lighting	5 shelves, w/o* lighting	4 shelves, w/o* lighting	2 shelves, w/o* lighting

square 509 × 509

T-5-1930	T-5-1850	T-5-1500	T-5-800
1930	1850	1500	800
5 shelves, with lighting	5 shelves, w/o* lighting	4 shelves, w/o* lighting	2 shelves, w/o* lighting

Accessories

TST 91-5 Set of sliding door locks for 5 shelves
TST 91-4 Set of sliding door locks for 4 shelves
TST 91-2 Set of sliding door locks for 2 shelves
TST 91 9 Individual sliding door lock

* Showcases without lighting have no plinth and are covered with a glass panel.

Technical information:

Side panels: tempered safety glass, 4 mm
Shelf panels: base shelf: wood panel, white 6 mm, more tempered safety glass, 4 mm
Plinth and lighting frame: steel, powder-coated, light grey
Lighting: 3 flush integral spotlights, 12 V/20 W each with transformer, ready for installation
Recommended max. load approx. 20 kg

Design Showcases
Square

Clear lines, countless applications. Whether as a showcase with silver-painted wood cover panel, or as a counter with a black wood cover – the basic design remains the same: black plinth base shelf, silver anodized aluminium profiles, side and shelf panels made of tempered safety glass, optional lighting. Quick and easy assembly, which makes the design showcases a versatile accessory at exhibitions, trade fairs and anywhere, where products need to be clearly presented within a sales promotion environment.

Example types: left: DV-10B
right: DV-50B

Example type: DV-30B

Cylinder lock

Optional lighting

Continuously adjustable

Basic modules without lighting:

DV-10
Sideboard
silver cover panel

DV-30
Counter
black counter panel

DV-50
Glass showcase
silver cover panel

Basic modules with lighting:

DV-10B
Sideboard
silver cover panel
12V/20W spotlight

DV-30B
Counter
black counter panel
2 12V/20W spotlights

DV-50B
Glass showcase
silver cover panel
2 12V/20W spotlights

Wall and Counter Showcases
Square and Quarter-round Profile

Additional points of sale or eye-catchers for interior applications: the lockable wall and counter showcases facilitate a safe, effective and elegant presentation of products or collections.

The design offers two options: tower format with hinged doors or sideboard format with sliding doors. All models are furnished with high-quality aluminium profiles, glass doors, glass side panels and adjustable shelves made of tempered safety glass. One intelligent detail: the magnetic back panel (incl. 8 white magnets) offers space for price, product or other information.

Example type: TM-Set 31

Example type: TM-Set 20

TM-Set 11

TM-Set 10

TM-Set 65

Basic modules - Quarter-round profile:

TM-Set 20
Wall showcase with sliding door, 1 white wood base shelf, 2 glass shelves 6 mm, silver anodized profile

TM-Set 30
Wall showcase with sliding door, 1 white wood base shelf, 2 glass shelves 6 mm, high-polish chrome-plated profile

TM-Set 40
Wall showcase with sliding door, 1 white wood base shelf, 2 glass shelves 6 mm, black anodized profile

TM-Set 21
Wall showcase with hinged door, 1 white wood base shelf, 3 glass shelves 6 mm, silver anodized profile

TM-Set 31
Wall showcase with hinged door, 1 white wood base shelf, 3 glass shelves 6 mm high-polish chrome-plated profile

TM-Set 41
Wall showcase with hinged door, 1 white wood base shelf, 3 glass shelves 6 mm black anodized profile

Basic modules - Square profile:

TM-Set 10
Wall showcase with sliding door, 1 white wood base shelf, 2 glass shelves 6 mm, white profile RAL 9010 powder-coated

TM-Set 11
Wall showcase with hinged door, 1 white wood base shelf, 3 glass shelves 6 mm, white profile RAL 9010 powder-coated

TM-Set 65
Counter showcase with hinged door, 1 white wood base shelf, 2 glass shelves 4 mm, silver anodized profile

Literature Rack
Brochure Display

Attractive design and a great variety of presentation possibilities. With just two basic systems, brochures or documents of the standard size A4 can be arranged clearly in many different ways. One above the other or side by side, parallel or in a zigzag line, fixed or mobile (with two lockable castors). All literature racks and brochure shelves are made of silver-anodized aluminium profiles with pockets or shelves of transparent acrylic glass.

Example type: P-8 D

Example type: P-ZZ 6

Example types: P-3, P-1, P-2

Example types: VA 1110, VA 1111

VA 1110

VA 8607

Basic modules - Literature racks:

Frames made of silver-anodized aluminium, shelves of acrylic glass

P-8 D
8 DIN A4-shelves
1420
520

P-ZZ 6
6 DIN A4-shelves
1450
350

P-1
1 DIN A4-shelves
900
265 / 280

P-2
2 DIN A4-shelves
1200
265 / 280

P-3
3 DIN A4-shelves
1200
265 / 280

P-4 W
4 DIN A4-shelves
1200
265

## Basic Modules - Broschure display:

Extrusions: Aluminium, silver anodised,
Brochure bags: Nylon

VA 1110
Literature rack
4 sections
1350
300 / 305

VA 1111
Literature rack
8 sections
1350
300 / 610

Accessories - Brochure display:

110
620

VA 8607
Transport bag

Brochure Shelves

Brochure Shelves "Light"

The objective of these stable litera-
ture racks is to present prospective
literature in DIN A-4 format in a
clearly arranged way. The racks con-
sist of silver-anodised aluminium
profiles. The shelves are made of
transparent acrylic glass which is
always aesthetically pleasing. All
movable literature racks are equip-
ped with two lockable castors. The
"light series" is not equipped with
castors and therefore cannot be
moved. The top plate allows addi-
tional and individual advertising
messages to be conveyed.

Example type: P-12

Example types: P-8L, P-12L

Movable with castors

Compartments

Example type: P-12 T

Basic modules - Brochure shelves:

Stable constructions made of silver-anodized aluminium profiles,
compartments of acrylic glass, mobile, 2 lockable castors

P-6	P-8	P-12	P-16	P-32
6 DIN A4-shelves	8 DIN A4-shelves	12 DIN A4-shelves	16 DIN A4-shelves	32 DIN A4-shelves

(dimensions: 1600; 570 / 500; 570 / 500; 750 / 500; 990 / 500; 990 / 500)

Basic modules - Brochure shelves with top plate:

Stable constructions made of silver-anodized aluminium profiles,
compartments of acrylic glass, mobile, 2 lockable castors, inclusive top plate

P-6 T	P-8 T	P-12 T	P-16 T	P-32 T
6 DIN A4-shelves + top plate	8 DIN A4-shelves + top plate	12 DIN A4-shelves + top plate	16 DIN A4-shelves + top plate	32 DIN A4-shelves + top plate

(dimensions: 1685; 570 / 500; 570 / 500; 750 / 500; 990 / 500; 990 / 500)

Basic modules - Brochure shelves „Light":

Stable constructions made of silver-anodized aluminium profiles,
compartments of acrylic glass

P-8L	P-12L
8 DIN A4-shelves	12 DIN A4-shelves

(dimensions: 1550; 470 / 410; 650 / 410)

Display Easel
Hinged Display Frame

Active selling aids that cannot be ignored. The first one is a placard rack for placards and posters of the size A1 made of high-quality silver-anodized aluminium profiles. Suitable for interior and exterior areas. Equipped with a tie bar attachable at the top, two alternate frames with protective antireflex foil and brochure basket for additional information material.

The second one is a hinged display frame in 5 sizes (from A4 to A0) made of high-quality aluminium profiles for a perfect presentation and a quick modification without much effort.

Example type: T-AS 1, T-Z 1, T-Z 2

Example type: T-A A1

T-Z 2

T-Z 1

Replacement of placards
in just a few seconds
(UV protective foil T-Z 3)

Basic module - Display easel:

Placard size
DIN A1
h 841 x w 594 mm

1750

630   700

T-AS 1
Equipped with
2 alternate frames

Accessories - Display easel:

300

630

T-Z 2
Advertising panel,
white, attachable

T-Z 1
Brochure basket
black

T-Z 3
Replacement UV protective
foil DIN A1

Basic modules - Hinged display frame:

T-A A0
841x1189 mm

T-A A1
594x841 mm

T-A A2
420x594 mm

T-A A3
297x420 mm

T-A A4
210x297 mm

Dimensions according to the placard size

Technical information - Hinged display frame:

High-quality aluminium profiles, 28 mm
Replacement of placards in a few seconds
Stable back
Self-adhesive and additionally equipped with fixing materials
Suitable for exterior areas

Illumination Box
## Indoor

Showing advertising messages in a favorable light. With these systems, placards of the standard size DIN A1 get the attention they deserve.
The illuminated showcase with a polystyrene casing and a hinged display frame made of aluminium has been designed exclusively for indoor applications. It is simply screwed to a wall and illuminated via a cable of 2 m equipped with a switch. Due to the alternate hinged display frame, advertising messages, which are presented effectively behind the transparent protective foil, can be updated quickly.

Example type: T-L 1
Panel recommendation: paper placards of the standard size DIN A1

High-polish chrome-plated corners

Clip profile

Integrated illumination

Basic module:

890
Placard size:
DIN A1
h 841 x w 594 mm
641
120

T-L 1
Illumination box (indoor)

Accessories:

T-Z 3
UV protective foil
DIN A1 for replacement

Fixing materials
Screws and dowels are included

Technical information:

Integrated illumination:	4 x 11 Watt
Standard placard size:	DIN A1
Casing:	Polystyrene
Hinged display frame:	Aluminium, silver-anodized, 28 mm
Protective foil:	0.75 mm, transparent
Cable:	2 m with switch
Weight:	9.8 kg

**The illumination box can either
be mounted vertically or horizontally** (see example)

Clothes Racks
Wall-mounted Clothes Rack

These "business cards" in the entrance area have two important functions: combining an aesthetic look with clearly laid-out storage concepts. The wall-mounted silver anodized aluminium clothes rack is characterized by its straight lines – and its versatility: the clothes rod can be installed at any desired height, thus it can also be used as a children's clothes rack. The two glass shelves "Mastercarrée" offer plenty of space for shoes, hats, scarves etc.

Mobile clothes rack

The perfect clothes rack for events, restaurants, hotels, pubs etc. The mobile clothes rack with its silver anodized aluminium profiles and the double-fronted crown has 4 sturdy castors, 2 of which can be locked, which makes it versatile and mobile. It also offers a maximum of clothes storage capacity, taking up a minimum of space: 46 hooks and optional umbrella storage incl. drip tray. Thus, the mobile clothes rack has everything that is needed – with the added extra of attractive design.

Example type: TG-SET 1, TG-SET 3

46 hooks in total

2 lockable castors

Example type: TG-SET 11

Basic modules - Wall-mounted clothes rack

1860
860 350

**TG-SET 1**
Basic frame

1860
860 350

TG-SET 2
Extension frame

984 300

TG-SET 3
2 glass shelves "Mastercarrée" for hat and shoe storage, 8 mm

Basic modules - Mobile clothes rack:

1700
500 1000

TG-SET 10
Mobile clothes rack w/o umbrella storage

1700
500 1000

TG-SET 11
Mobile clothes rack with umbrella storage

Twin-Set
Shelving System

The aesthetic alternative to traditional shelving: aluminium wall extrusions plus shelves made of safety glass or wood. These work together to produce shelving solutions that appear weightless, almost as if suspended in the air. This type of storage or display provides entirely new opportunities for individual wall display designs. The aluminium extrusion is assembled quickly and easily. Then the shelf slides in easily. Additional practical benefit: the extrusion profile has two hooks to allow suspension of mirrors or pictures.

Example type: TW 108, TW 208

Hooks to suspend pictures

Wooden shelf, 16 mm

Tempered safety glass shelf, 8mm

Basic modules - Wall profiles:

TW 106 Wall extrusion*
60 cm wide,
incl. end caps,
2 hooks and
fittings

TW 108 Wall extrusion*
80 cm wide,
incl. end caps,
2 hooks and
fittings

* The wall extrusions are manufactured to fit with 8mm glass or 16mm wood shelves.

Basic modules - Shelves:

**TW 206
Tempered safety
glass shelf, 8 mm**
60 cm wide
20 cm deep

**TW 306
Tempered safety
glass shelf, 8 mm**
60 cm wide
30 cm deep

**TW 208
Tempered safety
glass shelf, 8 mm**
80 cm wide
20 cm deep

**TW 308
Tempered safety
glass shelf, 8 mm**
80 cm wide
30 cm deep

**TW 360
Wood shelf, 16 mm
white**
60 cm wide
30 cm deep

**TW 360
Wood shelf, 16 mm
white**
80 cm wide
30 cm deep

**TW 361
Wood shelf, 16 mm
black**
60 cm wide
30 cm deep

**TW 381
Wood shelf, 16 mm
black**
80 cm wide
30 cm deep

**TW 362
Wood shelf, 16 mm
beech**
60 cm wide
30 cm deep

**TW 382
Wood shelf, 16 mm
beech**
80 cm wide
30 cm deep

Each package contains 3 shelves (all articles).