


PRODUCT LINE

CONTENTS


d1 FOLDING DISPLAYS

Magnetic Panel




d2 FRAME SYSTEMS

Modular, Portable, Banner



d3 FOLDING DISPLAYS

Integrated Panel



d4 POP-UP DISPLAYS


Magnetic, Fabric



d5 BANNER DISPLAYS




d6 PICTURE FRAMES



d7 COLUMN DISPLAYS


Snap, Magnetic



d10 ROLL-UP DISPLAYS



LITERATURE RACKS




PROMOTIONAL COUNTERS




vario displayTM




VA 1180
Single frame, 700x1000mm



VA 1480
4-Module, 700x1000mm



VA 1680
6-Module, 700x1000mm



VA 1880
8-Module, 700x1000mm

Measurement corresponds to panel size. System prepared for panels on 1 side ▼



VA 2180
Top frame,
700x300mm



VA 5035
Magnetic strip, 30m,
self-adhesive




VA 5045
Steel strip, 30m,
self-adhesive


VA 5019
Connector for upper
and lower frames



VA 5002
Y-connector,
set of two



VA 5001
135° connector,
set of two



VA 5007
90° connector,
4 pcs. / kit



VA 5036
Literature holder, left side



VA 5032
Literature holder, right side



VA 5021
Halogen spotlight, grey, 230V/200W

VA 5021/110
Halogen spotlight, grey, 120V/200W



91080
Extra bulb for VA 5021, 230V/200W




808880
Extra bulb for VA 5021/110, 120V/200W



VA 1013
Accessory bag
L: 750, D: 400, H: 400mm




VA 1011
Transport bag for max one 8-module
L: 1070, D: 270, H: 750mm





▲ Different top frame connectors vary the look of your folding display when using top frames

▼ 360° foldable hinges makes it possible to set the right angle in either direction



Placing a 90° connector in a "tower" configuration ▼





VA 1250
Straight frame,
350x1005mm

VA 1251
Straight frame,
350x1240mm

VA 1252
Straight frame,
350x2010mm

VA 1253
Straight frame,
700x1005mm

VA 1254
Straight frame,
700x1240mm

VA 1272
Straight frame,
700x2010mm

VA 1255
Straight frame,
1000x1005mm

VA 1256
Straight frame,
1000x1240mm

VA 1273
Straight frame,
1000x2010mm




VA 1260
Curved frame,
350x1005mm



VA 1261
Curved frame,
350x1240mm



VA 1262
Curved frame,
350x2010mm




VA 1263
Curved frame,
700x1005mm



VA 1264
Curved frame,
700x1240mm



VA 1275
Curved frame,
700x2010mm




VA 1280
End cap frame,
double-sided
350x1005mm



VA 1281
End cap frame,
double-sided
350x1240mm



VA 1282
End cap frame,
double-sided
350x2010mm



VA 1249
Straight frame,
594x841mm, A1



Z 365
Beam, L: 1600mm, tension lock both ends




Z 363
Beam, L: 850mm, tension lock one end,
Z 970 endcap other end

Measurement corresponds to panel size. Frames prepared for panels on 1 side, if nothing else is stated. Add a "D" after part number to order a double-sided frame (steel strips on both sides) e.g. VA 1272D. Accessories to join frames are included, see page d2:4 for a detailed specification.



M 828
Baseplate for 120mm upright,
grey RAL9006, in two parts,
Ø480mm



M 1428
Baseplate for 120mm upright,
grey RAL9006, in two parts,
W: 480mm




VA 6012
Support foot for 120mm upright,
grey RAL9006, in two parts,
W: 130, L: 480mm



VA 1205
Baseplate for organic extrusions,
grey RAL9006, M10 thread,
diam. 480mm



M 1229
Baseplate for 80mm upright,
grey RAL9006, in two parts,
Ø480mm



M 1429
Baseplate for 80mm upright,
grey RAL9006, in two parts,
W: 480mm



VA 6008
Support foot for 80mm upright,
grey RAL9006, in two parts,
W: 130, L: 480mm



M 380F
Adjustable foot for organic
uprights, steel, galvanised



VA 6003
Floor foot for frames
max. 1000x1005mm,
in two parts



VA 6002
T-leg, in two parts,
H: 300mm



VA 6001
T-leg, set of two,
in two parts,
H: 900mm




VA 7402
Allen key, 6mm,
for M8/M10

OTHER UPRIGHTS ON REQUEST



M 247
Upright round, Ø120mm,
8 grooves, L: 1005mm



M 248
Upright round, Ø120mm,
8 grooves, L: 1240mm



M 249
Upright round, Ø120mm,
8 grooves, L: 2010mm



M 1249
Upright round, Ø80mm,
8 grooves, L: 2010mm



M 1049
Upright square, 80mm,
4 grooves, L: 2010mm



VA 4021
Upright organic, 130mm,
4 grooves, L: 1005mm



VA 4022
Upright organic, 130mm,
4 grooves, L: 1240mm



VA 4023
Upright organic, 130mm,
4 grooves, L: 2010mm



VA 4031
Upright organic, 190mm,
4 grooves, L: 1005mm




VA 4032
Upright organic, 190mm,
4 grooves, L: 1240mm



VA 4033
Upright organic, 190mm,
4 grooves, L: 2010mm



VA 5591
End plate extension kit,
for a maximum of 4
stacked end plates for
VA 4020 & VA 4030



VA 5045
Steel strip, 30m, self-adhesive



VA 5035
Magnetic strip, 30m, self-adhesive

**END PLATES
for VA 4020**

VA 1220
Steel, grey
RAL 9006



VA 1221
Acrylic, orange
5130 R/R

VA 1222
Acrylic, turquoise
2040 R/R

VA 1223
Acrylic, opaque
0000 R/R

**END PLATES
for VA 4030**

VA 1230
Steel, grey
RAL 9006



VA 1231
Acrylic, orange
5130 R/R

VA 1232
Acrylic, turquoise
2040 R/R

VA 1233
Acrylic, opaque
0000 R/R



**END PLATES
steel, grey RAL 9006**

M 270 for Ø120mm

M 1235 for Ø80mm

M 1035 for M 1049


VA 7046
Transport tube,
Ø120mm,
L: max 2500mm,
cardboard



M 1443
Top, Ø120mm



M 1442
Top, Ø80mm



M 1444
Illuminated top
230V/40W, Ø120mm



M 1440
Conical top
Ø120mm



M 1438
Conical top
Ø80mm



VA 5058
Conical foot,
H: 130mm



E 218
Ring screw



VA 5000
Straight connector,
set of two

TRANSPORT BAGS



For:
Uprights



For:
Frames



For:
Accessories



For:
Baseplates

L: 1005, D: 250, H: 130mm **VA 1102**
L: 1240, D: 250, H: 130mm **VA 1103**
L: 2010, D: 250, H: 130mm **VA 1104**

Max 10 frames 350x1005mm **VA 1017**
Max 10 frames 700x1005mm **VA 1011**
Max 10 frames 700x1240mm **VA 1016**
Max 10 frames 1000x1240mm **VA 1025**
Max 10 frames 700x2010mm **VA 1019**
Max 10 frames 1000x2010mm **VA 1015**

L: 750, D: 400, H: 400 **VA 1013**

Suitable for 1 baseplate, with
extra compartment for your
displayed brochures **VA 8838**



E14
Torx driver



E 275
Bag holder



VA 5038
Distance beam,
L: 125mm



VA 1229
Connecting part for
VA 4020 organic extrusion




VA 1239
Connecting part for
VA 4030 organic extrusion



M 1412
Connecting tube for
Ø120mm round extrusion




M 1413
Connecting tube for
Ø80mm round extrusion




VA 1211
Display shelf "OVAL"




VA 1212
Display shelf "8"



VA 1215
Display shelf
"TEAR DROP"



VA 1216
Display shelf
"SHARK FIN",
left side




VA 1217
Display shelf
"SHARK FIN",
right side



VA 5021
Halogen spotlight, grey, 230V/200W

VA 5021/110
Halogen spotlight, grey, 120V/200W



VA 1213
Display shelf
"CONE", left side




VA 1214
Display shelf
"CONE", right side



VA 5032
Literature holder,
right side



VA 5036
Literature holder,
left side




VA 5076
Display shelf, beech




91080
Extra bulb for VA 5021, 230V/200W

808880
Extra bulb for VA 5021/110, 120V/200W

VA 1211 to VA 1217 have a beech-core which is white laminated



Fastening of an end plate extension kit to the organic upright extrusion





Fitting the connecting part to an organic upright extrusion

Every portable frame (H: 1005, 1240mm) comes with the VA 5090 Kit, consisting of:




VA 5065	Allen Key	1
VA 5062	Levelling Foot with H-connector	2
VA 5057	H-connector	1
VA 5056	H-connector, Double	1
VA 5014	Snap Connectors	2
VA 4653	Panelhook, Straight	2




Every full size frame (H: 2010mm) comes with the VA 5060 Kit, consisting of:

VA 5065	Allen Key	1
VA 5062	Levelling Foot with H-connector	2
VA 5057	H-connector	1
VA 5014	Snap Connectors	4
VA 4653	Panelhook, Straight	2




Modular & panel dimensions of a half-, full- or end cap frame






Panel measurement. Thickness of panel




Using portable frames doesn't mean you have to use several smaller panels





Connecting-piece 2xVA 5000 for fixed position


Connecting tube 1xM 1412 (when using Ø120mm) for variable angle




Packing of upright extrusion in a VA 1102, VA 1103 & VA 1104 transport bag





How to operate the tension lock




▲ The beam and pocket size for the fabric panel






▲ Attach the upper beam, stretch the fabric and lock the lower beam




45° angle option ▲




▲ Fabric dimensions using the standard beams in the product range







VA 3004
4-Module, 700x1000mm



VA 3006
6-Module, 700x1000mm



VA 3008
8-Module, 700x1000mm




VA 3100
10-Module, 700x1000mm


Standard color clear matt anodized, black or other color on request. Measurement correspond to panel size 



VA 3104
Single frame, 700x1000mm



VA 3205
Top frame 45°



VA 3505
Top frame convex



VA 3105
Top frame, 700x300mm



VA 5021
Halogen spotlight, grey, 230V/200W

VA 5021/110
Halogen spotlight, grey, 120V/200W



91080
Extra bulb for VA 5021, 230V/200W


808880
Extra bulb for VA 5021/110, 120V/200W



VA 1023
Horizontal shelf, white



VA 1005
Sloping shelf, white



VA 1001
Literature dispenser, acrylic



VA 6001
T-leg, set of two,
in two parts,
H: 900mm



VA 5032
Literature holder, right side




VA 5036
Literature holder, left side




VA 1013
Accessory bag, L: 750, D: 400, H: 400mm



VA 1011
Transport bag, L: 1070, D: 270, H: 750mm



▲ Panel measurement, including the top frame



Pull off the top of the upper frame profile to insert or change the graphic panels. With the lower frame, pull off the bottom profile (the one with the levelling foot)



STRAIGHT



VA 4713 P1
Prepared for 1 Panel with endcaps



VA 4723 P1
Prepared for 2 Panels with endcaps



VA 4733 P1
Prepared for 3 Panels with endcaps



VA 4743 P1
Prepared for 4 Panels with endcaps

CURVED




VA 4813 P1
Prepared for 1 Panel with endcaps



VA 4823 P1
Prepared for 2 Panels with endcaps



VA 4833 P1
Prepared for 3 Panels with endcaps



VA 4843 P1
Prepared for 4 Panels with endcaps

⚠ All systems illustrated are supplied excluding graphic panels. Package solution (P1) includes structure, hanging system, spotlights, transport case, magbars in bag and wrap. The package can differ between regions, check with your local OCTANORM dealer for other set ups as well



VA 4617
Internal shelf for curved system



VA 4618
Internal shelf for straight system



VA 5021
Halogen spotlight, grey,
230V/200W

VA 5021/110
Halogen spotlight, grey,
120V/200W



VA 8066
Top panel for transport case,
cherry

VA 8067
Top panel for transport case,
beech


VA 8068
Top panel for transport case,
maple




91080
Extra bulb for
VA 5021, 230V/200W

808880
Extra bulb for
VA 5021/110, 120V/200W

VA 4615
Stabilising foot



VA 8058
Panelwrap



VA 8056
Transport case



VA 8065
Transport case, half



VA 8059
Mag-bar bag



PANEL HOOK
For top of panel




VA 4659
Curved inside
VA 4660
Curved outside
VA 4661
Straight
VA 4662
Endcap, set of two

PANEL SUSPENSION
For bottom of panel





VA 4663
Curved inside
VA 4664
Curved outside
VA 4665
Straight


VA 4601
Mag-bar



▲ The case VA 8056 can be used as a counter, and with a panel wrapped around it for additional promotion




▲ The top has a compartment for protecting your spotlights during transport and storage



▲ 3 Panels with curved endcaps




▲ 3 Panels with curved endcaps



▲ Dimension of a curved system with curved endcaps



▲ 3 Panels with straight endcaps




▲ Dimension of a straight system

▼ Mounting and dismounting a mag-bar into the hub




▼ Mounting a panel hook into the hub




FABRIC




VA 4913
1x3 system



VA 4923
2x3 system



VA 4933
3x3 system




VA 4943
4x3 system

All systems illustrated are supplied excluding fabric panels

BASIC MODULES

VA 4615
Stabilizing foot



VA 5021
Halogen spotlight, grey, 230V/200W

VA 5021/110
Halogen spotlight, grey, 120V/200W



91080
Extra bulb for VA 5021, 230V/200W

808880
Extra bulb for VA 5021/110, 120V/200W


VA 8055
Transport bag, fabric
max. 3x3 system



VA 8065
Transport case,
polyethylene



VA 4904
Velcro for
side cover,
set of four




VA 4618
Internal shelf for straight systems

ACCESSORIES




▲ Correct panels size will vary depending upon the fabric used





▲ Velcro strip 40mm mounted on fabric panel


▼ EXTERNAL DIMENSIONS OF A VA 8065



▼ INTERNAL DIMENSIONS OF A VA 8065



▲ Internal height = 960mm



VA 8302
1000x2140mm

VA 8300
800x2140mm

VA 8301
600x2140mm

VA 8303
300x2140mm



VA 8312
1000x1310mm

VA 8310
800x1310mm

VA 8311
600x1310mm

VA 8313
300x1310mm

All systems illustrated are supplied excluding graphic panels, print surface see technical information on following page



VA 5019
Top bar connector



VA 8090
Hanger for top bar




VA 8052
Top bar opener



VA 6017
Wall hanger



VA 5067
Mag-edge
set of 10m north pole,
and 10m south pole



VA 8604
Transport bag 600/800mm
VA 8603
Transport bag 1000mm



VA 8016
Top bar 1010mm
VA 8014
Top bar 810mm
VA 8015
Top bar 610mm
VA 8017
Top bar 305mm
VA 8005
Top bar 5000mm/cut to size



VA 9700
Halogen spotlight 230V/75W




VA 8710
Extra bulb for VA 9700, 230V/75W




VA 9701
Halogen spotlight
12V/75W
VA 9701/110
Halogen spotlight
12V/75W




VA 8709
Extra bulb for VA 9701 &
VA9701/110, 12V/75W



- ▲ The top bar extrusion is easily opened with the top bar opener VA 8052 (included with the bannerstands)




- ▲ VA 8090 allows you to hang the top bar from the ceiling or against a wall





- ▲ The thickness of the panel must be within 0.15 - 0.40mm. Visible panel height is 2110mm or 1280mm

- ▼ Top bar connector VA 5019, for connecting a row of bannerstands. For a seamless picture, use mag-edge as well




- ▼ **IMPORTANT:**
When using mag-edge VA 5067, increase panel width with 10mm to line up with top and bottom bar




- ▲ For a more permanent fixture for your panel, use the wall hanger VA 6017



VA 6014
Picture frame extrusion 16mm
5000mm, cut to size




VA 6104
Picture frame, for panel
700x1000mm
with snap opening



VA 6204
Picture frame, for panel
700x1000mm
collapsable,
incl. 4 corner connectors



VA 6015
Picture frame extrusion 5mm
5000mm, cut to size




VA 6205
Picture frame, for panel
700x1000mm
collapsable,
incl. 4 corner connectors

Standard color clear matt anodized, other colors on request. Measurement correspond to panel size ▼

VA 5007
90° connector
4 pcs. / kit,
Zinc die casting



VA 5001
135° connector
2 pcs. / kit,
Zinc die casting



VA 6017
Wall hanger



VA 6301
Connector for
VA 6104 & VA 6204
to OCTANORM system




VA 5038
Distance beam, L: 125mm

E 218
Ring screw




VA 1011
Transport bag for max 8 frames
L: 1070, D: 270, H: 750mm






▲ Using this mathematical formula you can easily design your own frames





◀ VA 6301 in use

▲ Measurements when placing a d6 frame between two uprights within a standard OCTANORM stand

▼ When using a frame with a snap opening and hanging it from either wire or upon a wall, you must direct the snap opening as shown below



▼ The optimal panel thickness using different kind of methods



PANEL



VA 7500
Basic set (without panels)



VA 7300
Counter set incl. illumination 230V/18W and 4 panels A1


MAGNETIC



VA 7510
Curved column display



VA 7520
Concave column display



VA 7530
Convex column display

All magnetic systems illustrated are supplied excluding graphic panels ▼

vario display™

FITS VA 7500 or VA7300



VA 5032
Literature holder, right side



VA 5036
Literature holder, left side



VA 7501
Top panel for VA 7500,
black

ONLY FOR VA 7500




VA 7506
Panel,
1x800x1850mm,
transparent acrylic



VA 7505
Panel,
1.5x800x1850mm,
opaque acrylic

d 7


FITS ONLY VA 7510




VA 1211
Display shelf "OVAL"




VA 1212
Display shelf "8"




VA 1215
Display shelf
"TEAR DROP"



VA 1216
Display shelf
"SHARK FIN",
left side



VA 1217
Display shelf
"SHARK FIN",
right side



VA 1213
Display shelf
"CONE", left side




VA 1214
Display shelf
"CONE", right side



VA 5032
Literature holder,
right side



VA 5036
Literature holder,
left side



VA 5076
Display shelf, beech

VA 1211 to VA 1217 have a beech-core which is white laminated

ONLY FOR VA 7510, VA 7520
& VA 7530

VA 4665
Panel suspension, 60x706mm,
for 733mm panel



VA 4663
Panel suspension, 60x643mm,
for 673mm panel



VA 5035
Magnetic strip, 30m,
self-adhesive


FITS VA7500 to VA7530



VA 7700
Illumination set 230V/58W


d7:2

PANEL




- ▲ The printed paper A1 mounts between the translucent and acrylic panels


- ▼ Total panel width 800mm



- ▲ Translucent panels with digital print, mounted in to snap extrusion








MAGNETIC



- ▼ 1 mm plexi-glass and backlight adhesive is the best alternative when using an illuminated panel. Otherwise you must strengthen the panel at the top and bottom, with a panel suspension

- a Magnetic stripes, VA 5035, are placed on each side of the panel
- b Panel suspensions, VA 4663 / VA 4665 should be mounted at top and bottom as a reinforcement



SINGLE SIDED



VA 9421

Roll up display for 1 panel,
940x2300mm

VA 9431

Roll up display for 1 panel,
940x2300mm, **incl. transport bag**

VA 9422

Roll up display for 1 panel,
840x2300mm

VA 9432

Roll up display for 1 panel,
840x2300mm, **incl. transport bag**

DOUBLE SIDED



VA 9523

Roll up display for 2 panels,
940x2300mm

VA 9533

Roll up display for 2 panels,
940x2300mm, **incl. transport bag**

VA 9524

Roll up display for 2 panels,
840x2300mm

VA 9534

Roll up display for 2 panels,
840x2300mm, **incl. transport bag**

All systems illustrated are supplied excluding graphic panels, print surface see technical information on next page ▼



VA 9602

Transport bag
for single sided 950mm

VA 9603

Transport bag
for single sided 850mm

VA 9604

Transport bag
for double sided 850mm

VA 9605

Transport bag
for double sided 950mm

VA 9600

Transport bag for single sided 850mm (VA 9422)
and Horizontal shelf kit (VA 9611)




VA 9010

Top bar 943mm

VA 9019

Top bar 843mm



VA 9611

Horizontal shelf 850mm kit, incl. verti-
cal extrusions, two brackets, connecting
pins and an aluminium shelf



VA 5019

Top bar connector



VA 5075

Pin-kit for connecting
OCTANORM profiles
to base



VA 8710

Extra bulb for
VA 9700, 230V/75W



VA 8709

Extra bulb for VA 9701 &
VA9701/110, 12V/75W



VA 9700

Halogen spotlight 230V/75W




VA 9701


Halogen spotlight 12V/75W

VA 9701/110

Halogen spotlight 12V/75W




VA 5019
Top bar connector





Print surface is indicated by the light grey area ▲

▼ Spotlight VA 9701 fits in to the base on single-sided display during transportation and storage. Fitted nylon bags with separate compartment for pole



▲ Easy access for maintenance. Panel retrieval information is on the underside of the unit

▼ Insert the pin into the groove on the base, secure them with the allen key. Then slide the upright upon the pin-heads. Pins are included in shelf-kits



Adjustable brackets provide variable height and angle ▲

FRAME / MAGNETIC



VA 1100
Counter, 700x1000mm
incl. transport bag

PANEL WITH LIGHT



VA 7300
Counter set
incl. illumination 230V/18W
and 4 panels A1

PANEL / MAGNETIC



VA 8056
Transport case/counter, 775x1966mm

BEAM / MAGNETIC



VA 2200
Straight counter, 733x945mm
incl. transport bag



VA 2210
Curved counter, 733x945mm
incl. transport bag



VA 2220
Rostrum counter, 350x1095mm
incl. transport bag

Magnet extrusion on front side (733/350), for one-sided exposure. Two-sided is optional with additional accessories



VA 1211 to VA 1217 have a beech-core which is white laminated



E 275
Bag holder



VA 5035
Magnetic strip, 30m,
self-adhesive



VA 5038
Distance beam,
L: 125mm



VA 1154
Shelf incl. brackets for counter VA 1100

VA 2201
Transport bag for a VA 2200 and
VA 2210, L: 1000, D: 180, H: 400mm



VA 2202
Transport bag for a VA 2220,
L: 1200, D: 180, H: 400mm

VA 1101
Transport bag for a VA 1100 and
VA 1100P1, L: 1050, D: 60, H: 720mm



PANEL SUSPENSION
For top of panel



VA 2205
Straight &
Curved
W: 733mm


VA 2206
Rostrum
W: 350mm

PANEL REINFORCEMENT
For bottom of panel



VA 4665
Straight &
Curved
W: 733mm


VA 4666
Rostrum
W: 350mm




VA 1211
Display shelf "OVAL"




VA 1212
Display shelf "8"




VA 1215
Display shelf
"TEAR DROP"



VA 1216
Display shelf
"SHARK FIN",
left side



VA 1217
Display shelf
"SHARK FIN",
right side



VA 1213
Display shelf
"CONE", left side




VA 1214
Display shelf
"CONE", right side



VA 5032
Literature holder,
right side



VA 5036
Literature holder,
left side



VA 5076
Display shelf, beech

FITS VA 7300



VA 5032
Literature holder, right side



VA 5036
Literature holder, left side

ONLY FOR VA 8056




VA 8066
Top panel for transport case,
cherry



VA 8067
Top panel for transport case,
beech

VA 8068
Top panel for transport case,
maple


VA 1100



VA 2200 / VA 2210 / VA 2220




◀ Using different kind of shelves varies the look of your counter.



◀ "Backside" of counter, optional with additional accessory

VA 7300



VA 1100P1




▲ The VA 1101 Transportbag with the P1-package showing.

▲ The VA 1101P1-package.
(2xVA 8300, 2xVA9700 & 1xVA1100)



TECHNICAL INFORMATION

VA 8056



- ▲ Originally a transport case for the d4 Pop Up system.
- ▲ But also suitable to transport 4pcs. of d10 Roll Up, or several more d5 String, with spotlights!

Panel measurements ►






VA 8804B
Telescopic literature rack
A4x4,
shelves in veneered birch
incl. transport bag



VA 8840
Telescopic literature rack
A4x4,
shelves in veneered birch




VA 8808B
Telescopic literature rack
A4x8,
shelves in veneered birch
incl. transport bag




VA 8880
Telescopic literature rack
A4x8,
shelves in veneered
birch



VA 1110
Literature display,
pocket mesh in woven nylon,
A4x4




VA 1111
Literature display,
pocket mesh in woven nylon,
A4x8



VA 8606
Literature bag
3xA4



VA 8605
Accessory bag
L: 650, D: 300, H: 320mm



VA 8607
Transport bag for VA 1110 & VA 1111
L: 600mm




VA 8834
Transport bag for VA 8804
L: 280, D: 160, H: 440mm



VA 8838
Transport bag for VA 8808
L: 500, D: 160, H: 440mm





TELESCOPIC LITERATURE RACK



LITERATURE DISPLAY



ORGANIC PROGRAM



PRESENTATION SYSTEMS

- a quick tour of the new and exciting shape of tomorrow's designs in...

- point of sale
- promotion
- communication
- presentation

EXHIBITION



- use it with your "traditional" OCTANORM aluminium system to...

- explore
- enhance
- engage
- evolve
- energize

SHOPFITTING

- why do it like everyone else? Add those organic uprights into the design and get...

- a new dimension
- an eyecatcher
- a lovable surface
- promotional items



INSPIRATION

- an introduction and inspirational guide on how to use vario as an exhibition booth and display. Or as an add on, to those you already have. Its just so...

- simple
- portable
- exclusive
- intelligent
- affordable
- add-on-able
- 100% recyclable

GOING ABROAD OR YOUR FIRST TIME EXHIBITING

- different voltage?
- where is my nearest vario display partner?
- protective packaging & cases for transport?
- get familiar with the system
- spare- & replacement bulbs for my spotlights



Gain the expertise and creativity to use OCTANORM and vario in the best possible way

Contact your OCTANORM Partner to receive details of your nearest **Display Partner**

