



## Document Presentation Solutions

# StripBind™



English



Nederlands



Français



Dansk



Deutsch



Svenska



Español




РУССКИЙ



Italiano

[www.gbceurope.com](http://www.gbceurope.com)

Home



# StripBind™

## Simplicity, Security and Speed for Professionals

GBC StripBind™ Systems fall into two distinct categories that address two distinct types of user - SoHo/Office Personal and Office Professionals - both of whom understand and appreciate the sleek, professional and unique appeal of the GBC StripBind™ finish.

In its simplicity lies its speed and in its Office Professional form, its secure page nature makes it indispensable in contractual, legal and personnel documentation.

**When page security matters, GBC Strip Binding solves.**

## For Professionals

The two categories of GBC StripBind™ are represented by two world-renowned brands - VeloBind® and Surebind™.

The Velobind® re-closeable' 4-pin format allows typical small desktop or personal usage to bind and re-open with just one simple A4 plastic strip. The strategically equally spaced holes ensure that up to 200\* pages are securely held along the full length and by simply folding over the pins they adjust to the number of pages and 'lock in' for security. Page changing is simple - unlock, add and re-close.

In contrast, the Surebind™ 'secure' 10 pin format is the Office/Professional solution when fully secure and tamper-proof documents are specified. The 10 pins are pushed through texts of up to 750 pages\* and welded accordingly. Page changing is only possible if the weld is broken and the text fully rebound.

The Surebind™ format additionally permits previously CombBind® bound documents (21 hole 9/16") to be re-bound securely with the Surebind™ strip - a great feature when moving from draft to final versions that should not be altered.




### VeloBind® Hole spacing layout



Four circular holes of 3mm diameter, 3mm from paper edge, spaced centrally along a 297mm length at 76, 127 and 76mm spacing. See Schematic

### SureBind™ Hole spacing layout



Ten circular holes of 3mm diameter, 3mm from paper edge, spaced along a 297mm length at 24, 31 and then 28mm spacing. See Schematic

## How to?

In all cases - type of equipment, size of book, location, etc - GBC StripBind™ is a four step process: Collation (of pages to be bound) Punching, Insertion and Bind.

The Punching and Insertion/Bind processes can be done manually or electrically depending upon model/system choice\*\*

### The Punching Process

Having Collated the Document, the pages are punched in steps according to the page punching capacity of the model.



### The Insertion Process

Strips - either VeloBind® or SureBind™ - are then simply pushed through the entire texts and the appropriate Covers.



### The Closing Process

With pins pushed through all pages and respective Covers, the Strips are either folded over (Velobind®) or cut and welded by the unit (Surebind™).



\*Estimate depending upon how printed and quality of paper

\*\*Additional dedicated electric models can be found in the GBC Professional Brochure - 'When Productivity Matters'


# VeloBind®



Perfectly suited for homes, students, SoHo or personal office usage.  
 Produces stylish, distinctive A4 documents on the desktop....in seconds!

## Desktop Velobinder


Punch up to 20 pages of 80 gsm, push .... and 'close'.  
 A single strip capacity of 25mm permits binding of documents up to as many as 200 pages of 80 gsm.  
 By re-opening the pins, pages can easily be changed or substituted -- simply unlock, add and re-close to represent the best of ones work.



Model	Max Binding Length	Product Code
Desktop Velobinder	A4	9707121



Press to Punch



Push through holes in paper



...Fold Pins to close or unfold to re-open

## VeloBind® Accessories

**Simplicity is the key to VeloBind® success. Just three simple colours; one length (A4); and one capacity - it's that easy!**

Colour co-ordinate or contrast VeloBind® Strips with GBC Presentation Report Covers. Owing to the firm hold of the VeloBind® style, lighter weight HiClear™ PVC, LeatherGrain™, LinenWeave™ or colour co-ordinated Regency™ are ideal to convey the importance and relevance of the contents.

### Industry Standard Colours\*



Black White Blue


\*Colours are available ex Stock - A4 only

### Industry Industry Non-Standard Colours\*\*



Red Green

\*\*Industry Non-Standard colours are those that use standard industry resins but are not normally stocked. Refer to GBC or GBC Re-Seller for local availability.



# SureBind™



The secure solution for contractual, legal, consultative and personnel documentation

## SureBind™ System 1

**The Office entry-point solution for the 'secure' Surebind™ format.**

Manual Punch and Electric Bind suitable for A4, A5, Foolscap and US Quarto documents up to 250 pages (80 gsm).

Using just one capacity of Strip (25mm), the System 1 will manually punch up to 22 pages per lift and bind in under 10 seconds by simply lowering the handle and trimming/welding the pins to the 'partner strip' in one simple, swift action.

The incorporation of Indicator Lights and Punch/Bind Guides ensure simplicity of use for any level of user giving perfect results every time.

The System 1 also prepares documents for subsequent GBC HardCase™ Binding - the really prestigious finish for the really prestigious document.



Model	Max Binding Length	Product Code
GBC Surebind™ System 1	330mm	9707050 (EU) 9707050CH (CH)



*Edge Guides ensure punching and binding are perfectly registered to the paper size chosen.*



## SureBind™ System 2

**A Fully Electric Punch and Bind System for the busy Office**

Push button 22 sheet (80 gsm) punching and a full 500 page electric bind capacity for A4, A5, Foolscap and US Quarto paper sizes make the System 2 the ideal solution for most busy offices with many users and with a broad spectrum of documentation requirements.

Key Features include Jam-Stopper that retracts the punch pins if unit is overloaded and Tray-Full indicators that cut out usage when Chip Tray full - simple ideas to minimise damage and inconvenience when the rush is on!

In common with other SureBind™ options, the System 2 also prepares documents for subsequent GBC HardCase™ Binding - for when it really must count.



Model	Max Binding Length	Product Code
GBC Surebind™ System 2	330mm	9707051 (EU) 9707051 (CH)



*SureBind™ System 2 also features Electric Binding - just press and watch.*



# SureBind™

High Productivity Options for OfficePro and Reprographic productivity

## SureBind™ System 3 Pro

When document numbers surge page numbers increase, users multiply and time to produce gets tighter - the answer becomes System 3Pro.

Punching up to 26 sheets of 80gsm per 'lift' via a button, foot pedal (for hands free) or a Table Top sensor - for real 'speed punching'. Binds all standard Surebind™ paper size formats - A4, A5, Foolscap and US Quarto - up to an incredible 750 pages of 80gsm using one of the three standard Surebind™ Strip capacities. The largest capacity Office Binding Style available.

A unique dual-blade binding technology increases bind speed and permits simultaneous punching. Fully automatic De-Binder easily opens books for page changing or page alteration. System 3 also prepares documents for subsequent HardCase™ Binding - its enough to take a strip bound book using the special 'fly sheets' as front and back cover and carefully insert into one of the HardCase™ Cover capacities.



**Binding Paper Edge Guide**  
*Positions pages perfectly for Binding.*

**Independent Electric Binding Station**  
*Binding can be actioned as one punches.*

**DeBind Function**  
*Prepares a bound book to be disassembled.*



**Control Panel**  
*Shows users where they are in the Binding process.*

**Electric Push Button Punching**  
*Electric Push Button Punching Increases productivity & reduces fatigue.*

**Foot Pedal**  
*Leaves both hands free during Punching process.*

**Punching Paper Edge Guide**  
*Positions pages perfectly for Punching - includes sensor.*

**Independent Punching Station**  
*Using Button, Table-Top Sensor or Foot Pedal.*



**Chip Tray**  
*Keeps all paper waste clean & tidy and away from moving parts.*



Model	Max Binding Length	Product Code
GBC Surebind System 3	330mm	9707101 EU

# SureBind™ Accessories

The professionalism and security of the Surebind™ system derives from its unique design and method of binding.

## Understanding the Steps

Accessories are made up of three elements: Strips, Presentation Covers and Add-Ons.

## Selecting your Strip

Strips are available in lengths that match with the long edge of the most popular standard international paper sizes and three capacities (pin length) that determine the maximum number of pages able to be bound.

## Industry Standard Lengths\*

Paper Size	Pin No's	Paper Length mm (Long Edge)
A4 (Std)	10 Pins	297
A5	7 Pins	158
US Quarto	10 Pins	280
FoolScap	12 Pins	330

\* In most cases only A4 Strips are stocked. Refer to GBC or GBC Re-Seller for local availability of other lengths  
 Strips can be made to special length as part of the GBC Custom Service - restrictions will apply.

## Industry Standard Strip Capacities

Capacity	Actual Pin Length*	Paper Capacity** (80gsm)
25mm (1")	30mm	Max 250
50mm (2")	56mm	Max 500
75mm (3")	82mm	Max 750

\* Pin Length of Pin #1 (Registration Pin) is always 7mm longer

\*\* Pages numbers are estimates only and depend upon covers used and age/quality of paper and how printed

## Industry Standard Colours




Black White Blue Red

## Industry Non-Standard Colours\*



Grey Green Burgundy Brown

\* Industry Non-Standard colours are standard industry resins but not normally stocked - Refer to GBC or GBC Re-Seller



\*Note - For registration purposes spacing between hole #1 & hole #2 is 23mm

25mm (1"), 50mm (2") & 75mm (3") Capacities

# Presentation Report Covers & Add-Ons

A presentation style as professional as StripBind™ must have the very best Presentation Cover.

The traditional charm, colour and grain of the Regency™ range have been designed to match perfectly with the various colours of strips and are flexible, durable and highly presentable.

When see-through visibility and title page protection is needed, the range of lighter weight HiClear™ PVC or PolyClearView are constant favourites. Cover weights above 300 gsm are not recommended.

Documents bound with SureBind™ can also be presented within prestigious GBC HardCase™ Covers to really make that impression - see Presentation Report Covers.

All documents bound with SureBind™ can use the convenient FileStrip™ for subsequent archiving in 2 or 4 hole Ring Binders.